

# Derbyshire STP: Place Alliance Insight Packs

Supporting the Place work stream

South Derbyshire Place Alliance



# Derbyshire Sustainability and Transformation Partnership (STP)

STPs are geographic areas in which people and organisations work together to transform the way health and care is planned and delivered for their populations; there are 44 across the country.

Derbyshire's STP is called **Joined Up Care Derbyshire** (JUCD). It brings together twelve partner organisations and sets out ambitions and priorities for the future of the county's health and care in the Sustainability and Transformation Partnership plan (STPp).

### **Derbyshire STP Priorities:**

- Place-based care
- Prevention and self-management
- Urgent Care
- System efficiency
- System Management


The STPp priorities will lead to significant transformation of the traditional system of health and social care delivery into a more place-based care approach, reducing the current reliance on institutional care.

There are 8 Place Alliances, based on the registered patient population in each. These were agreed by the Joined Up Care Derbyshire board following engagement with partners, council members, clinicians, the voluntary sector and local people.

The new Place Alliances are listed right; the map shows the location of the grouped GP practices within the footprints of Derbyshire's CCGs.

### **Derbyshire STP Alliances:**

- Amber Valley Place Alliance
- Bolsover & North East Place Alliance
- Chesterfield Place Alliance
- Derby City Place Alliance
- Erewash Place Alliance
- High Peak Place Alliance
- Derbyshire Dales Place Alliance
- South Derbyshire Place Alliance




# **Population**


The total registered population of the 8 JUCD Alliances is around 1,036,850. The total population within the footprint of the South Derbyshire Place Alliance is 53,669, 49.9 % of which are males and 50.1% females.

16.9% of the Alliance population are aged 65 years or over and 6.8% are aged 75 years or over; those over the age of 85 years make up 1.9% of the total.

The figures below provide a breakdown of the population for the South Derbyshire Place Alliance and a comparison to the average for the Derbyshire STP footprint.

We know that the population in general is aging. The figure on the right provides a population projection for South Derbyshire; this suggests that the area will see an estimated 86% increase in over 65 year olds by 2039





Population in	Numbers		Percentage		Comparison	
Thousands	Males	Females	Males	Females	Males	Females
All Ages	26757	26912	49.9%	50.1%	50.0%	50.0%
0-4	1692	1621	3.2%	3.0%	2.8%	2.7%
5-9	1760	1621	3.3%	3.0%	3.0%	2.8%
10-14	1587	1455	3.0%	2.7%	2.8%	2.6%
15-19	1687	1579	3.1%	2.9%	2.9%	2.7%
20-24	1563	1510	2.9%	2.8%	3.0%	2.9%
25-29	1754	1785	3.3%	3.3%	3.1%	3.1%
30-34	1626	1773	3.0%	3.3%	3.1%	3.0%
35-39	1677	1753	3.1%	3.3%	3.1%	2.9%
40-44	1933	1796	3.6%	3.3%	3.4%	3.2%
45-49	2197	2104	4.1%	3.9%	3.9%	3.7%
50-54	1972	1878	3.7%	3.5%	3.9%	3.7%
55-59	1591	1639	3.0%	3.1%	3.3%	3.2%
60-64	1495	1537	2.8%	2.9%	2.9%	2.9%
65-69	1546	1599	2.9%	3.0%	3.0%	3.1%
70-74	1158	1127	2.2%	2.1%	2.3%	2.5%
75-79	733	828	1.4%	1.5%	1.6%	1.9%
80-84	435	621	0.8%	1.2%	1.1%	1.5%
85-89	257	441	0.5%	0.8%	0.6%	1.0%
90+	94	245	0.2%	0.5%	0.3%	0.6%

# **Deprivation**

The English Indices of Deprivation 2015 are based on 37 separate indicators, which are combined to calculate an Index of Multiple Deprivation 2015 score (IMD 2015).

This is an overall measure of multiple deprivation experienced by people living in an area and is calculated for every Lower Super Output Area (LSOA), or neighbourhood, in England. Each area is ranked according to its level of deprivation relative to that of other areas.


Overall, South Derbyshire district has a lower than average deprivation score of 13.7 compared to the average of 21.8 for England, ranking 230 out of 326 English local authority areas (where a rank of 1 is the most deprived).

There are however, pockets of deprivation located in and around the market town of Swadlincote as illustrated by the map on the right.

The map shows differences in deprivation in South Derbyshire by LSOA; 2 of the 58 LSOAs fall within the top 20% of the most deprived in England.

Stark inequalities in outcomes exist between least and most deprived areas. In Derbyshire County for example, males and females in the least deprived areas can expect to live on average 7 years longer than their counterparts in the most deprived areas.

# Index of Multiple Deprivation 2015 -South Derbyshire by Lower Super Output Area



© Crown copyright and database rights 2018. Ordnance Survey 100023251.

# Overarching Workstream Indicators

# Indicators to support the place workstream

It is JUCD's intention to move from a reactive to proactive care model to enable people to remain independent and at home for longer. Therefore, a series of workstream indicators for Priority 1, Place-Based Care, have been developed.

Place teams will be asked to transform care in their areas to achieve the shifts in these performance and outcome measures necessary to "Turn the Curve".

This approach will support system priorities including securing <u>continued central government funding for social care</u> and implementation of the <u>High Impact Change Model</u> to achieve effective system-wide patient flow; it will also drive progress against <u>NHSE STP System metrics</u>. Some place-based indicators may vary according to local needs.

# **Overarching workstream indicators:**



Total Emergency admissions (all ages and 65+)



Emergency admissions for acute conditions that should not usually require hospitalisation



Emergency Admissions, Length of Stay > 20 days (65+)



Emergency admissions by injurious falls (65+)



Emergency re-admissions within 30 days (all ages and 65+)



Uptake of personal budget by eligible population

# **STP footprint wide indicators:**



Permanent admissions to nursing/ residential care homes (65+)




**Delayed transfers of care** 



Older people (65+) receiving reablement/rehabilitation services

# Total Emergency Admissions, 65+ years, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to	Sig. to STP
C81020	Newhall Surgery	498	272.0	•		
C81032	Swadlincote Surgery	864	338.1	<b>A</b>	<b>A</b>	<b>A</b>
C81060	Woodville Surgery	490	315.3	Δ	<b>A</b>	<b>A</b>
C81104	Overseal Surgery	102	275.7	▼	<b>A</b>	<b>A</b>
C81114	Gresleydale Healthcare Centre	326	320.6	<b>A</b>	<b>A</b>	<b>A</b>
Y01812	Heartwood Medical Practice	353	300.3	▼	<b>A</b>	<b>A</b>
Alliance	South Derbyshire	2633	309.2		<b>A</b>	<b>A</b>
CCG	Southern Derbyshire	24213	255.6			▼
STP		52023	262.1			

### **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than Practice Similar Practice Sig. Higher/Worse

### **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher

▼ - Significantly Lower


△ - Similar but higher

 $\nabla$  - Similar but lower





# Total Emergency Admissions, All Ages, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to CCG	Sig. to STP
C81020	Newhall Surgery	1120	112.6	▼	<b>A</b>	Δ
C81032	Swadlincote Surgery	1827	136.5	Δ	<b>A</b>	
C81060	Woodville Surgery	1084	125.9	$\nabla$	<b>A</b>	<b>A</b>
C81104	Overseal Surgery	243	133.3	Δ	<b>A</b>	
C81114	Gresleydale Healthcare Centre	1162	129.1	Δ	<b>A</b>	
Y01812	Heartwood Medical Practice	973	133.1	Δ	<b>A</b>	
Alliance	South Derbyshire	6409	127.8		<b>A</b>	<b>A</b>
CCG	Southern Derbyshire	52337	101.0			•
STP		109832	106.6			

### **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than Practice Similar Practice Sig. Higher/Worse

### **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher

▼ - Significantly Lower


△ - Similar but higher

▽ - Similar but lower





# Emergency Admissions, Length of Stay > 20 days, 65+ years, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to CCG	Sig. to STP
C81020	Newhall Surgery	54	98.7	Δ	Δ	Δ
C81032	Swadlincote Surgery	104	116.5	<b>A</b>	<b>A</b>	<b>A</b>
C81060	Woodville Surgery	39	67.6	▼	•	▼
C81104	Overseal Surgery	7	60.3	▼	•	▼
C81114	Gresleydale Healthcare Centre	20	62.4	▼	•	▼
Y01812	Heartwood Medical Practice	34	93.2	Δ	$\nabla$	Δ
Alliance	South Derbyshire	258	90.5		$\nabla$	$\nabla$
CCG	Southern Derbyshire	2488	93.8			Δ
STP		5035	93.1			

### **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than
Practice Similar
Practice Sig. Higher/Worse

### **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher

▼ - Significantly Lower


△ - Similar but higher

▽ - Similar but lower

**Note:** This indicator is a metric in the Health and Social Integration dataset; it allows local analysis to support the national 90<sup>th</sup> percentile Length of Stay indicator in the health and social care integration dashboard.



# Total Emergency Re-admissions, 65+ years, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to	Sig. to STP
C81020	Newhall Surgery	113	221.0	▼	•	•
C81032	Swadlincote Surgery	205	248.5	▼	•	▼
C81060	Woodville Surgery	137	286.8	<b>A</b>	Δ	<b>A</b>
C81104	Overseal Surgery	22	151.9	▼	•	▼
C81114	Gresleydale Healthcare Centre	93	291.1	<b>A</b>	Δ	<b>A</b>
Y01812	Heartwood Medical Practice	93	286.1	<b>A</b>	Δ	<b>A</b>
Alliance	South Derbyshire	663	262.8		▼	▼
CCG	Southern Derbyshire	6018	285.1			<b>A</b>
STP		12130	271.1			

# **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than Practice Similar Practice Sig. Higher/Worse

# **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher


▼ - Significantly Lower

△ - Similar but higher

√ - Similar but lower



# Emergency Re-admissions Within 30 days, 65+ years, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to CCG	Sig. to STP
C81020	Newhall Surgery	42	85.3	▼	•	•
C81032	Swadlincote Surgery	110	132.0	Δ	$\nabla$	Δ
C81060	Woodville Surgery	59	128.9	Δ	$\nabla$	Δ
C81104	Overseal Surgery	7	63.5	▼	•	•
C81114	Gresleydale Healthcare Centre	47	139.0	<b>A</b>	Δ	<b>A</b>
Y01812	Heartwood Medical Practice	48	150.4	<b>A</b>	<b>A</b>	<b>A</b>
Alliance	South Derbyshire	313	125.1		•	$\nabla$
CCG	Southern Derbyshire	2790	134.5			<b>A</b>
STP		5635	128.1			

# **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than
Practice Similar
Practice Sig. Higher/Worse

# **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher


▼ - Significantly Lower

△ - Similar but higher

▽ - Similar but lower



# Emergency Re-Admission Within 30 days, All Ages, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to CCG	Sig. to STP
C81020	Newhall Surgery	104	94.7	$\nabla$	$\nabla$	$\nabla$
C81032	Swadlincote Surgery	207	99.6	$\nabla$	$\nabla$	$\nabla$
C81060	Woodville Surgery	122	110.6	Δ	$\nabla$	Δ
C81104	Overseal Surgery	18	56.6	▼	•	•
C81114	Gresleydale Healthcare Centre	124	98.9	$\nabla$	$\nabla$	$\nabla$
Y01812	Heartwood Medical Practice	127	127.2	Δ	Δ	Δ
Alliance	South Derbyshire	702	103.7		$\nabla$	$\nabla$
CCG	Southern Derbyshire	5860	114.0			Δ
STP		11509	108.2			

# **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than
Practice Similar
Practice Sig. Higher/Worse

# **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher


▼ - Significantly Lower

△ - Similar but higher

▽ - Similar but lower



# Emergency Admissions for Acute Conditions Considered Avoidable, 65+ years, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to CCG	Sig. to STP
C81020	Newhall Surgery	79	47.1	$\nabla$	<b>A</b>	<b>A</b>
C81032	Swadlincote Surgery	133	52.4	<b>A</b>	<b>A</b>	<b>A</b>
C81060	Woodville Surgery	73	47.5	$\nabla$	<b>A</b>	<b>A</b>
C81104	Overseal Surgery	12	31.3	▼	•	•
C81114	Gresleydale Healthcare Centre	42	42.6	▼	<b>A</b>	Δ
Y01812	Heartwood Medical Practice	58	49.6	Δ	<b>A</b>	<b>A</b>
Alliance	South Derbyshire	397	47.5		<b>A</b>	<b>A</b>
CCG	Southern Derbyshire	3488	36.8			▼
STP		8039	40.6			

# **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than Practice Similar Practice Sig. Higher/Worse

### **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher


▼ - Significantly Lower

△ - Similar but higher

√ - Similar but lower



# Emergency Admissions for Acute Conditions Considered Avoidable, All Ages, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to CCG	Sig. to STP
C81020	Newhall Surgery	157	16.5	$\nabla$		Δ
C81032	Swadlincote Surgery	267	19.9	Δ	<b>A</b>	<b>A</b>
C81060	Woodville Surgery	151	17.5	$\nabla$	<b>A</b>	Δ
C81104	Overseal Surgery	38	21.3	Δ	<b>A</b>	Δ
C81114	Gresleydale Healthcare Centre	177	18.4	$\nabla$	<b>A</b>	<b>A</b>
Y01812	Heartwood Medical Practice	142	19.1	Δ	<b>A</b>	<b>A</b>
Alliance	South Derbyshire	932	18.5		<b>A</b>	<b>A</b>
CCG	Southern Derbyshire	6745	13.0			▼
STP		15409	14.9			

# **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than
Practice Similar
Practice Sig. Higher/Worse

### **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher


▼ - Significantly Lower

△ - Similar but higher

√ - Similar but lower



# Emergency Admissions Injurious Falls, 65+ years, 2016/17



		Number	DASR	Sig. to Alliance	Sig. to	Sig. to STP
C81020	Newhall Surgery	46	26.5	$\nabla$	<b>A</b>	<b>A</b>
C81032	Swadlincote Surgery	65	26.8	$\nabla$	<b>A</b>	<b>A</b>
C81060	Woodville Surgery	41	27.3	$\nabla$	<b>A</b>	<b>A</b>
C81104	Overseal Surgery	9	23.3	$\nabla$	Δ	Δ
C81114	Gresleydale Healthcare Centre	23	24.0	▼	<b>A</b>	<b>A</b>
Y01812	Heartwood Medical Practice	41	34.7	<b>A</b>	<b>A</b>	<b>A</b>
Alliance	South Derbyshire	225	27.6		<b>A</b>	<b>A</b>
CCG	Southern Derbyshire	2054	21.7			$\nabla$
STP		4327	22.0			

# **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than
Practice Similar
Practice Sig. Higher/Worse

# **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher


▼ - Significantly Lower

△ - Similar but higher

▽ - Similar but lower



# Percentage of Clients Receiving Personal Budget as a Direct Payment, All Ages, 2016/17



				Comparison				
		Number	%	Alliance	CCG	STP		
C81020	Newhall Surgery	13	17.1	$\nabla$	▼	▼		
C81032	Swadlincote Surgery	17	19.2	$\nabla$	▼	▼		
C81060	Woodville Surgery	12	24.6	Δ	•	$\nabla$		
C81104	Overseal Surgery	2	22.3	Δ	$\nabla$	$\nabla$		
C81114	Gresleydale Healthcare Centre	12	22.4	Δ	▼	$\nabla$		
Y01812	Heartwood Medical Practice	11	21.2	Δ	▼	$\nabla$		
Alliance	South Derbyshire	66	20.5		▼	▼		
CCG	Southern Derbyshire	1559	39.9			<b>A</b>		
STP		2584	32.0					

**Note:** Significance comparisons are not reported for this indicator due to the variability of data quality.

# **Table Key**

To comparator:


▲ Higher / Worse△ Higher

▼ Lower / Better

 $\triangledown \quad \text{Lower}$ 



# Permanent Admissions to Care Homes, 65+ years, 2016/17 – by District Council area



	Number	Crude Rate per 1000 65+ years	Lower Cl	Upper Cl	Sig. to Average
Derby City	198	4.8	4.2	5.5	▼
Erewash	164	7.2	6.1	8.4	$\nabla$
South Derbyshire	132	7.4	6.2	8.8	$\nabla$
North East Derbyshire	182	7.5	6.5	8.7	$\nabla$
Derbyshire Dales	149	8.0	6.7	9.4	Δ
High Peak	157	8.5	7.2	9.9	Δ
Amber Valley	231	8.6	7.5	9.7	Δ
Chesterfield	201	9.3	8.1	10.7	<b>A</b>
Bolsover	151	9.8	8.3	11.5	<b>A</b>
STP footprint average	1565	7.5	7.2	7.9	$\nabla$

### **Graph Key: Compared to Alliance**

Practice Sig. Lower/Better than
Practice Similar
Practice Sig. Higher/Worse

# **Table Key: Compared to Alliance**

DASR - Directly Age Standardised Rate/1000 reg. pop.

▲ - Significantly Higher

▼ - Significantly Lower

△ - Similar but higher

 $\nabla$  - Similar but lower


**Note:** This indicator is a metric in the Better Care dataset. Local data is currently being developed at Alliance level for this indicator.




# STP Footprint Wide Indicators

# Rehabilitation and reablement

ASCOF Measure Performance 2b(2): Proportion of older people (aged 65+ years) who received reablement / rehabilitation services after discharge from hospital




ASCOF Measure Performance 2b(1): Proportion of older people (aged 65+ years) who were still at home 91 days after discharge from hospital into reablement / rehabilitation services






# Delayed Transfers of Care, by local authority area

# Number of Delayed Days, 2017/18



**DTOC Bed Days:** DTOC Bed Days are the total delayed days divided by the number of calendar days within the month. The charts below show trends, by local authority, for the last two years.





# Indicators under development

# *Indicators under development*

# • Frailty Index statistics:

To be developed once indicator is available – information collected by primary care from July 2017 onwards

Locally defined measures for South Derbyshire Place Alliance:

To be developed following discussions with place teams and clinical leads via CCG representatives

# **Understanding Statistical Terms used in this Report**

### **Number and Rate**

The number is a simple count of events, such as emergency admissions to hospital or the number of people receiving reablement/rehabilitation services. In order to make comparisons between populations and over time, the size of the population needs to be taken into account as numbers are likely to be higher in larger populations and may change over time. This is done by expressing the number as a rate per given number of the population, for example the number of emergency admissions per 1,000 registered population.

### **Age Standardised Rate**

Comparing crude rates across different areas to assess the size of a problem can be misleading because the populations being compared may differ significantly with respect to certain underlying characteristics, such as age, gender, deprivation or other potentially confounding variables, that will affect the overall rate. Age standardisation is a technique used to remove, as far as possible, the effects of differences in age structure between populations to enable accurate comparisons of community health status between areas.

Two methods of standardisation are commonly used in epidemiological studies; these are characterized by whether the standard used is a population distribution (direct method) or a set of specific rates (indirect method). For the purposed of this report, the direct method of age standardisation has been used throughout when reporting on health and well-being outcome measures.

### **Confidence Intervals**


A confidence interval describes the amount of uncertainty associated with a sample population estimate.

Let's say two similar products, A and B, are released onto the market. The advertising campaign for both products states that all (100%) of the people surveyed would recommend them to a friend. Both sound just as good? But what if you found out that for product A only 2 people were surveyed, compared to product B where 100,000 people were surveyed? Which product would you have the most confidence in? ....Product B because a lot more people were surveyed.

For product A only 2 people were surveyed, so there's a higher degree of uncertainty surrounding the recommendation i.e. it may just be by chance (natural variation) that these two people liked the product. In statistics, this measure of uncertainty surrounding a value is referred to as a confidence interval i.e. we are confident that the true value lies somewhere within this range.

In general, where confidence intervals surrounding two comparable values overlap, we say the difference is not statistically significant (or 'similar'). When values do not

overlap, the difference is regarded as statistically significant.



Source: Association of Public Health Observatories (APHO)

# Indicator metadata

Indicator Name	Indicator Measure	Rationale	Source	Technical Definition	Time Period
GP registered populations	Number and percentage of GP registered patients by quinary age band and sex	Demography has an impact on the level of population need within an individual area	Patients registered at a GP Practice, NHS Digital	Data are extracted as a quarterly snapshot in time from the GP Payments system by NHS Digital. This release is an accurate snapshot as at 1 April 2016.  April 2016 has been taken as the reference population to match the denominator used to calculate directly standardised rates which cover the period 2016/17	01-Apr-16
Population Projection Estimates	Total number of resident population by quinary age band	Population projections provide an indication of the future size and age structure of the population to be used for resource allocation and planning	ONS Sub-national population projections	Based on mid-year population estimates and a set of assumptions of future fertility, mortality and migration	2014 based projections to 2039
Index of Multiple Deprivation 2015 (IMD 2015)	IMD 2015 score and rank by district and LSOA	IMD 2015 is an overall measure of multiple deprivation and highlights where socio-economic and health inequalities are likely to exist at small area level	· ·	Based on 37 separate indicators, which are combined to calculate an Index of Multiple Deprivation 2015 score (IMD 2015) for every Lower Super Output Area (LSOA) in England. Each area is ranked according to its level of deprivation relative to that of other areas.	2015
Total Emergency Admissions (All age and 65+ years)	Directly Age Standardised Rate per 1000 registered population, All ages and 65+ years (DASR per 1000)	Emergency admissions to hospital provide a measure of demand and pressures for accident and emergency services and the acute hospital sector.	Hospital Episode Statistics Admitted Patient Care Dataset, NHS Digital GP Practice Registered Population as at April 2016, NHS Digital	Admission method = Emergency (21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D) Patient classification = Ordinary Admission (CLASSPAT = 1) Finished Admitted Episode = 1 Valid Age on Admission (ADMIAGE) Sex = 1 (M) or 2 (F) Registered with STP Practice (CCG of Responsibility = 03X, 03Y, 04R, 04J) Resident in England (RESGOR <=K)	Apr 2016- Mar 2017
Emergency Admissions, Length of Stay >20 days, 65+ years	Directly Age Standardised Rate per 1000 emergency admissions with a LOS >0 days aged 65+ years (DASR per 1000)	Longer lengths of stay can act as a powerful proxy indicator of poor patient flow. Patient flow indicators have been trialled with systems taking part in the Emergency Care Improvement Programme, and have supported reductions in length of stay and improvements in patient flow.	Hospital Episode Statistics Admitted Patient Care Dataset, NHS Digital	As above where Finished Discharge Episode = 1 and Spell Duration >=20 (SPELDUR)	Apr 2016- Mar 2017
Emergency Re-admissions within 30 days (All Age and 65+ years)	Directly Age Standardised Rate per 1000 total emergency admissions, All ages and aged 65+ years (DASR per 1000)	Aims to measure the success of helping people to recover effectively from illnesses or injuries. If a person does not recover well, it is more likely that they will require hospital treatment again within the 30 days following their previous admission. Thus, readmissions are widely used as an indicator of the success of healthcare in helping people to recover.	Hospital Episode Statistics Admitted Patient Care Dataset, NHS Digital	As above where Finished In Year Discharge Episode = 1 and Provider Same as Previous Admission (PROCODE) Within 30 days of Previous Admission (ADMIDATE <30 to DISDATE) Excluding Cancer Admissions and Readmissions (DIAG_01 to DIAG_20 NOT C% or D%)	Apr 2016- Mar 2017
Emergency admissions for Acute Conditions that should not usually require hospitalisation (All Age and 65+ years)	Directly Age Standardised Rate per 1000 registered population, All ages and aged 65+ years (DASR per 1000)	Some emergency admissions may be avoided for acute conditions that can be managed in the community. Rates of emergency admissions are therefore used as a proxy for outcomes of care. Preventing conditions such as kidney or urinary tract infections or heart failure from becoming more serious and keeping people at home would reduce demand on acute care.	Hospital Episode Statistics Admitted Patient Care Dataset, NHS Digital GP Practice Registered Population as at April 2016, NHS Digital	As per the NHS Outcomes Framework Indicator 3a where Acute Conditions include Flu, Pneumonia, Angina, Dehydration, Gastroenteritis, Kidney/Urinary Infection, Perforated Ulcer, Cellulitis, Dental, Convulsions, excluding those with operative procedures and transfers  The full technical defintion can be accessed via https://indicators.hscic.gov.uk/	Apr 2016- Mar 2017

# Indicator metadata

Indicator Name	Indicator Measure	Rationale	Source	Technical Definition	Time Period
Emergency admissions for Injurious Falls (65+ years)	Directly Age Standardised Rate per 1000 registered population aged 65+ years (DASR per 1000)	Falls are the largest cause of emergency hospital admissions for older people, and significantly impact on long term outcomes, e.g. being a major precipitant of people moving from their own home to long-term nursing or residential care	Hospital Episode Statistics Admitted Patient Care Dataset, NHS Digital GP Practice Registered Population as at April 2016, NHS Digital	Admission method = Emergency (21, 22, 23, 24, 25, 28, 2A, 2B, 2C, 2D) Primary Diagnosis = Injury (DIAG_01 like S% or T%) Underlying Diagnosis = External Cause due to Fall (CAUSE = W01% or W02%) Patient classification = Ordinary Admission (CLASSPAT = 1) Finished Admitted Episode = 1, Valid Age on Admission (ADMIAGE) Sex = 1 (M) or 2 (F) Registered with STP Practice (CCG of Responsibility = 03X, 03Y, 04R, 04J) Resident in England (RESGOR <=K)	Apr 2016- Mar 2017
Clients Receiving Personal Budget as a Direct Payment	Number of adults receiving a personal budget via Full or Part Direct Payment as a proportion of total adults in receipt of a personal budget (%)	This indicator provides a measure of the percentage of total clients that are receiving support through personal budgets and have direct control over how their personal budget is spent	Derbyshire County Council and Derby City Council Adult Social Care	Data are attributed to Practice and Place on the basis of Client Resident Lower Super Output Area (LSOA). The proportion of the GP Practice Registered Population that live within each LSOA is applied to the number of clients in each LSOA and summed to calculate the number per GP Practice	As at July 2017
Permanent Admissions to Care Homes (65+ years)	Crude rate of permanent residential home and nursing home admissions supported by the Local Authority per 1000 registered population aged 65+ years	Avoiding permanent placements in residential and nursing care homes is a good indication of delaying dependency, and local health and social care services will work together to reduce avoidable admissions.	Derbyshire County Council and Derby City Council Adult Social Care	Data are attributed to Practice and Place on the basis of Client Resident Lower Super Output Area (LSOA). The proportion of the GP Practice Registered Population that live within each LSOA is applied to the number of clients in each LSOA and summed to calculate the number per GP Practice	Apr 2016- Mar 2017
Delayed Transfers of Care, by local authority	Number of Delayed Days: Number of delayed transfers of care per month per 100,000 aged 18+		Delayed Transfer of Care, NHS Organisations, England. NHS	The average number of delayed transfers of care (for those aged 18 and over) on a particular day taken over the year, that are attributable to social care or jointly to social care and the NHS. This is the average of the 12 monthly snapshots collected in the monthly Situation Report (SitRep) for acute and non acute, per 100,000 population aged 18+.	-2017 / 2018
	DTOC Bed Days: The number of delayed days during the month divided by the number of calendar days in the month.			As of April 2017, data collection on the number of patients delayed on the last Thursday of the month ceased. This measure has been replaced by a similar measure called DTOC Beds Days; this figure is calculated by dividing the number of delayed days during the month by the number of calendar days in the month. This provides a more representative picture of the entire month.	
ASCOF Measures of performance	ASCOF 2b(2): Proportion of older people (aged 65+ years) who received reablement / rehabilitation services after discharge from hospital.	There is strong evidence that reablement services lead to improved outcomes and value for money across the health and social care sectors. Reablement seeks to support people and maximise their level of independence, in order to minimise their need for ongoing support and dependence on public services.	Measures from the Adult Social Care Outcomes Framework (ASCOF), England. Time series of aggregated measures, 2010-11 to 2016-17. NHS Digital	This is a two-part measure which reflects both the effectiveness of reablement set 2b(1), and the coverage of services 2b(2).  2b(1)1: The proportion of older people aged 65 and over discharged from hospital their own home or to a residential or nursing care home or extra care housing for	?5,
	ASCOF 2b(1): Proportion of older people (aged 65+ years) who were still at home 91 days after discharge from hospital into reablement / rehabilitation services.	This measures the benefit to individuals from reablement, intermediate care and rehabilitation following a hospital episode, by determining whether an individual remains living at home 91 days following discharge – the key outcome for many people using reablement services. It captures the joint work of social services, health staff and services commissioned by joint teams, as well as adult social care reablement.		rehabilitation, with a clear intention that they will move on/back to their own home (including a place in extra care housing or an adult placement scheme setting), who are at home or in extra care housing or an adult.  2b(2): The proportion of older people aged 65 and over offered reablement services following discharge from hospital. This measure will take the denominator from part 1 as its numerator: the denominator will be the total number of older people discharged from hospitals based on Hospital Episode Statistics.	2010/11 - 2016-17

# Small area data: Additional resources

Derbyshire and Derby City local authority areas currently produce a range of profiles showing a range of socio-economic and demographic information about local places. Below is a summary of key documents with hyperlinks to them. However, due to the way which STP Place Alliances have been developed, based on registered patient populations, it may be that some of your patient cohort fall outside the main areas listed below; however, information for all areas within Derbyshire can be found on the Derbyshire Observatory at observatory.derbyshire.gov.uk



# Place based population health profiles

These profiles provide an overview of place from a public health perspective and provide a summary of key wellbeing statistics.

58	22	3
31	5	59
2	57	20

Derbyshire Rank Quilt summarises a range of statistics about different electoral divisions, it provides an at a glance guide to how local areas compare to one and other.

A summary of the data utilised can be found here



### **Area Profiles**

Area Profiles show a range of statistics for county electoral divisions in a performance spine chart, which shows how the area performs against the Derbyshire average.

Access the Area Profiles here.

# Other sources of data and statistics:

Primary Care Tool
GP practice profiles
PHE fingertips tool
Health profiles
Census profiles
NHS Digital
Nomis
StatXplore

For further information on Place please contact:

Angela Wright,

Interim Deputy Director, Place

angela.wright14@nhs.net

For data related queries please contact: <a href="mailto:kit@derbyshire.gov.uk">kit@derbyshire.gov.uk</a>